Author Index

Abbott, P.V. *see* Castrisos, T.

Abbott, P.V. *see* Castrisos, T.V.

Abbott, P.V. Incidence of root fractures and methods used for post removal, 63

Adanir, N. *see* Kont Çobankara, F.

Akman, A.A. *see* Dartar Öztan, M.

Al-Fouzan, K.S. C-shaped root canals in mandibular second molars in a Saudi Arabian population, 499

Al-Khateeb, T. *see* Hamasha, A.A.

Al-Wahadni, A. & Gutteridge, D.L. An *in vitro* investigation into the effects of retained coronal dentine on the strength of a tooth restored with a cemented post and partial core restoration, 913

Alaçam, T. *see* Tinaz, A.C.

Alavi, A. *see* Gulabivala, K.

Alavi, A.M., Opasanon, A., Ng, Y.-L. & Gulabivala, K. Root and canal morphology of Thai maxillary molars, 478

Alvanou, A. *see* Tziafas, D.

Alves, M. *see* Rafter, M.

Aníbal, F.F. *see* Tanomaru Filho, M.

Anić I. *see* Miletić I.

Arı H. & Üngör M. *In vitro* comparison of different types of sodium perborate used for intracoronal bleaching of discoloured teeth, 433

Ardeshna, S.M., Qualtrough, A.J. E. & Worthington, H.V. An *in vitro* comparison of pH changes in root dentine following canal dressing with calcium hydroxide points and a conventional calcium hydroxide paste, 239

Ari, H. *see* Ataoğlu, T.

Arismendi, J.A. *see* Tobón, S.I.

Aryanpour, S., Bercy, P. & Van Nieuwenhuysen, J.-P. Endodontic and periodontal treatments of a geminated mandibular first premolar, 209

Ataoğlu, H. *see* Ataoğlu, T.

Ataoğlu, T. Üngör, M., Serpek, B., Haliloğlu, S., Ataoğlu, H. & Ari, H. Interlukin-1β and tumour necrosis factor-α levels in periapical exudates, 181

Attin, T., Buchalla, W., Zirkel, C. & Lussi, A. Clinical evaluation of the cleansing properties of the non-instrumental technique for cleaning root canals, 929

Awawdeh, L., Lundy, F.T., Shaw, C., Lamey, P.-J., Linden, G.J. & Kennedy, J.G. Quantitative analysis of substance P, neurokinin A and calcitonin gene-related peptide in pulp tissue from painful and healthy human teeth, 30

Bårdsen, A. *see* Fristad, I.

Bahia, M.G.A. *see* Martins, R.C.

Baker, M. *see* Rafter, M.

Baratto Filho, F., Ferreira, E.L. & Fariniuk, L.F. Efficiency of the 0.04 taper ProFile during the re-treatment of gutta-percha-filled root canals, 651

Baratto-Filho, F., Fariniuk, L.F., Ferreira, E.L., Pecora, J.D., Cruz-Filho, A.M. & Sousa-Neto, M.D. Clinical and macroscopic study of maxillary molars with two palatal roots, 796

Barbakow, F. *see* Peters, O.A.

Barbakow, F. Felix Lutz (1941–2002), 650

Barkis, D. *see* Wu, M.-K.

Belibasakis, G. *see* Tziafas, D.

Belli, S. *see* Kont Çobankara, F.

Bellucci, C. & Perrini, N. A study on the thickness of radicular dentine and cementum in anterior and premolar teeth, 594

Bercy, P. *see* Aryanpour, S.

Bergmans, L., Van Cleynenbreugel, J., Beullens, M., Wevers, M., Van Meerbeek, B. & Lambrechts, P. Smooth flexible versus active tapered shaft design using NiTi rotary instruments, 820

Bertrand, M.-F. *see* Lupi-Pegurier, L.

Beullens, M. *see* Bergmans, L.

Bhatti, M. *see* Seal, G.J.

Bilgiç, S. *see* Dartar Öztan, M.

Boering, G. *see* Doornbusch, H.

Bolla, M. *see* Lupi-Pegurier, L.

Bottenberg, P. *see* Slaus, G.

Bou Dagher, F.E. *see* Yared, G.M.

Boucher, Y., Matossian, L., Rilliard, F. & Machtou, P. Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation, 229

Bragger, U. *see* Nicopoulou-Karayianni, K.

Breschi, L. *see* Venturi, M.

Broersma, L. *see* Doornbusch, H.

Brynjulfsen, A., Fristad, I., Grevstad, T. & Hals-Kvinnsland, I. Incompletely fractured teeth associated with diffuse longstanding orofacial pain: diagnosis and treatment outcome, 461

Buchalla, W. *see* Attin, T.

Buchalla, W. *see* Mente, J.

Buijs, J.F. *see* Peters, L.B.

Buono, V.T.L. *see* Martins, R.C.

Burke, F.M. *see* Lynch, C.D.

Calberson, F.L.G., Deroose, C.A.J.G., Hommez, G.M.G., Raes, H. & De Moor, R.J.G. Shaping ability of GT™ Rotary Files in simulated resin root canals, 607

Campisi, G. *see* Cotti, E.

© 2002 Blackwell Science Ltd

Author Index

Abbott, P.V. *see* Castrisos, T.

Abbott, P.V. *see* Castrisos, T.V.

Abbott, P.V. Incidence of root fractures and methods used for post removal, 63

Adanir, N. *see* Kont Çobankara, F.

Akman, A.A. *see* Dartar Öztan, M.

Al-Fouzan, K.S. C-shaped root canals in mandibular second molars in a Saudi Arabian population, 499

Al-Khateeb, T. *see* Hamasha, A.A.

Al-Wahadni, A. & Gutteridge, D.L. An *in vitro* investigation into the effects of retained coronal dentine on the strength of a tooth restored with a cemented post and partial core restoration, 913

Alaçam, T. *see* Tinaz, A.C.

Alavi, A. *see* Gulabivala, K.

Alavi, A.M., Opasanon, A., Ng, Y.-L. & Gulabivala, K. Root and canal morphology of Thai maxillary molars, 478

Alvanou, A. *see* Tziafas, D.

Alves, M. *see* Rafter, M.

Aníbal, F.F. *see* Tanomaru Filho, M.

Anić I. *see* Miletić I.

Arı H. & Üngör M. *In vitro* comparison of different types of sodium perborate used for intracoronal bleaching of discoloured teeth, 433

Ardeshna, S.M., Qualtrough, A.J. E. & Worthington, H.V. An *in vitro* comparison of pH changes in root dentine following canal dressing with calcium hydroxide points and a conventional calcium hydroxide paste, 239

Ari, H. *see* Ataoğlu, T.

Arismendi, J.A. *see* Tobón, S.I.

Aryanpour, S., Bercy, P. & Van Nieuwenhuysen, J.-P. Endodontic and periodontal treatments of a geminated mandibular first premolar, 209

Ataoğlu, H. *see* Ataoğlu, T.

Ataoğlu, T. Üngör, M., Serpek, B., Haliloğlu, S., Ataoğlu, H. & Ari, H. Interlukin-1β and tumour necrosis factor-α levels in periapical exudates, 181

Attin, T., Buchalla, W., Zirkel, C. & Lussi, A. Clinical evaluation of the cleansing properties of the non-instrumental technique for cleaning root canals, 929

Awawdeh, L., Lundy, F.T., Shaw, C., Lamey, P.-J., Linden, G.J. & Kennedy, J.G. Quantitative analysis of substance P, neurokinin A and calcitonin gene-related peptide in pulp tissue from painful and healthy human teeth, 30

Bårdsen, A. *see* Fristad, I.

Bahia, M.G.A. *see* Martins, R.C.

Baker, M. *see* Rafter, M.

Baratto Filho, F., Ferreira, E.L. & Fariniuk, L.F. Efficiency of the 0.04 taper ProFile during the re-treatment of gutta-percha-filled root canals, 651

Baratto-Filho, F., Fariniuk, L.F., Ferreira, E.L., Pecora, J.D., Cruz-Filho, A.M. & Sousa-Neto, M.D. Clinical and macroscopic study of maxillary molars with two palatal roots, 796

Barbakow, F. *see* Peters, O.A.

Barbakow, F. Felix Lutz (1941–2002), 650

Barkis, D. *see* Wu, M.-K.

Belibasakis, G. *see* Tziafas, D.

Belli, S. *see* Kont Çobankara, F.

Bellucci, C. & Perrini, N. A study on the thickness of radicular dentine and cementum in anterior and premolar teeth, 594

Bercy, P. *see* Aryanpour, S.

Bergmans, L., Van Cleynenbreugel, J., Beullens, M., Wevers, M., Van Meerbeek, B. & Lambrechts, P. Smooth flexible versus active tapered shaft design using NiTi rotary instruments, 820

Bertrand, M.-F. *see* Lupi-Pegurier, L.

Beullens, M. *see* Bergmans, L.

Bhatti, M. *see* Seal, G.J.

Bilgiç, S. *see* Dartar Öztan, M.

Boering, G. *see* Doornbusch, H.

Bolla, M. *see* Lupi-Pegurier, L.

Bottenberg, P. *see* Slaus, G.

Bou Dagher, F.E. *see* Yared, G.M.

Boucher, Y., Matossian, L., Rilliard, F. & Machtou, P. Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation, 229

Bragger, U. *see* Nicopoulou-Karayianni, K.

Breschi, L. *see* Venturi, M.

Broersma, L. *see* Doornbusch, H.

Brynjulfsen, A., Fristad, I., Grevstad, T. & Hals-Kvinnsland, I. Incompletely fractured teeth associated with diffuse longstanding orofacial pain: diagnosis and treatment outcome, 461

Buchalla, W. *see* Attin, T.

Buchalla, W. *see* Mente, J.

Buijs, J.F. *see* Peters, L.B.

Buono, V.T.L. *see* Martins, R.C.

Burke, F.M. *see* Lynch, C.D.

Calberson, F.L.G., Deroose, C.A.J.G., Hommez, G.M.G., Raes, H. & De Moor, R.J.G. Shaping ability of GT™ Rotary Files in simulated resin root canals, 607

Campisi, G. *see* Cotti, E.

© 2002 Blackwell Science Ltd

Caplan, D.J., Kolker, J., Rivera, E.M. & Walton, R.E. Relationship between number of proximal contacts and survival of root canal treated teeth, 193
Castrisos, T. & Abbott, P.V. A survey of methods for post removal in specialist endodontic practice, 172
Castrisos, T.V., Palamara, J.E. A. & Abbott, P.V. Measurement of strain on tooth roots during post removal with the Eggler post remover, 337
Chandler, N.P. *see* Hauman, C.H. J.
Chandler, N.P. *see* Naoum, H.J.
Chang, Y.-C. *see* Huang, F.-M.
Chang, Y.-C. *see* Tsai, C.-H.
Cherniak, O. *see* Fuss, Z.
Chou, M.-Y. *see* Huang, F.-M.
Chou, M.-Y. *see* Tsai, C.-H.
Coldero, L.G., McHugh, S., MacKenzie, D. & Saunders, W.P. Reduction in intracanal bacteria during root canal preparation with and without apical enlargement, 437
Coppens, C.R.M. *see* Hommez, G.M.G.
Cotti, E., Campisi, G., Garau, V. & Puddu, G. A new technique for the study of periapical bone lesions: ultrasound real time imaging, 148
Cox, C.F. *see* Kitasako, Y.
Cruz, E.V., Kota, K., Huque, J., Iwaku, M. & Hoshino, E. Penetration of propylene glycol into dentine, 330
Cruz, E.V., Shigetani, Y., Ishikawa, K., Kota, K., Iwaku, M. & Goodis, H.E. A laboratory study of coronal microleakage using four temporary restorative materials, 315
Cruz-Filho, A.M. *see* Baratto-Filho, F.

Da Silva, D., Endal, U., Reynaud, A., Portenier, I., Ørstavik, D. & Haapasalo, M. A comparative study of lateral condensation, heat-softened gutta-percha, and a modified master cone heat-softened backfilling technique, 1005
Dahlén, G. *see* Molander, A.
Daniel, J. *see* Rafter, M.
Darbar, U.R. *see* Patel, K.
Dartar Öztan, M., Akman, A.A., Zaimoglu, L. & Bilgiç, S. Corrosion rates of stainless-steel files in different irrigating solutions, 655
Darwazeh, A. *see* Hamasha, A.A.
Davies, J.K. *see* Evans, M.
De Moor, R.J. G. & Hommez, G.M. G. The long-term sealing ability of an epoxy resin root canal sealer used with five gutta percha obturation techniques, 275
De Moor, R.J. G. C-shaped root canal configuration in maxillary first molars, 200
De Moor, R.J.G. *see* Calberson, F.L.G.
De Moor, R.J.G. *see* Hommez, G.M.G.
De Moor, R.J.G. & De Witte, A.M.J.C. Periapical lesions accidentally filled with calcium hydroxide, 946
De Quadros, I. *see* Zaia, A.A.
De Witte, A.M.J.C. *see* De Moor, R.J.G.
Decker, H.E. *see* Weiger, R.
Deroose, C.A.J.G. *see* Calberson, F.L.G.
Dobó-Nagy, C., Serbán T., Szabó J., Nagy, G. & Madléna, M. A comparison of the shaping characteristics of two nickel-titanium endodontic hand instruments, 283
Doornbusch, H., Broersma, L., Boering, G. & Wesselink, P.R. Radiographic evaluation of cases referred for surgical endodontics, 472
Dorn, B.R., Harris, L.J., Wujick, C.T., Vertucci, F.J. & Progulske-Fox, A. Invasion of vascular cells *in vitro* by *Porphyromonas endodontalis*, 366
Dummer, P.M.H. *see* Rajasingham, R.

Egan, M.W., Spratt, D.A., Ng, Y.-L., Lam, J.M., Moles, D.R. & Gulabivala, K. Prevalence of yeasts in saliva and root canals of teeth associated with apical periodontitis, 321
Ehrmann, E.H. Wanted: A standard for the recognition of rotary NiTi instruments, 215
Endal, U. *see* Da Silva, D.
Evans, M., Davies, J.K., Sundqvist, G. & Figdor, D. Mechanisms involved in the resistance of *Enterococcus faecalis* to calcium hydroxide, 221

Faccioli, L.H. *see* Tanomaru Filho, M.
Falconi, M. *see* Venturi, M.
Fariniuk, L.F. *see* Baratto-Filho, F.
Fernández, M.F. *see* Pulgar, R.
Ferraz, C.C.R. *see* Vivacqua-Gomes, N.
Ferraz, C.C.R. *see* Zaia, A.A.
Ferreira, E.L. *see* Baratto Filho, F.
Figdor, D. *see* Evans, M.
Figueiredo, J.A.P. *see* Vier, F.V.
Forner, L. *see* Lozano, A.
Fristad, I. *see* Brynjulfsen, A.
Fristad, I. *see* Halse, A.
Fristad, I. *see* Molven, O.
Fristad, I., Bårdsen, A., Knudsen, G.C. & Molven, O. Prodromal herpes zoster – a diagnostic challenge in endodontics, 1012
Fritzsche, A. *see* Lussi, A.
Fuss, Z., Mizrahi, A., Lin, S., Cherniak, O. & Weiss, E.I. A laboratory study of the effect of calcium hydroxide mixed with iodine or electrophoretically activated copper on bacterial viability in dentinal tubules, 522

Gambarini, G. & Laszkiewicz, J. A scanning electron microscopic study of debris and smear layer remaining following use of GT rotary instruments, 422
Garau, V. *see* Cotti, E.
Gomes, B.P.F.A. *see* Vivacqua-Gomes, N.
Gomes, B.P.F.A. *see* Zaia, A.A.
Gonçalves, A., Gonçalves, M., Oliveira, D.P. & Gonçalves, N. Dens invaginatus type III: report of a case and 10-year radiographic follow-up, 873
Gonçalves, M. *see* Gonçalves, A.
Gonçalves, N. *see* Gonçalves, A.
Goodis, H.E. *see* Cruz, E.V.
Grevstad, T. *see* Brynjulfsen, A.

© 2002 Blackwell Science Ltd

Guerisoli, D.M. Z., Marchesan, M.A., Walmsley, A.D., Lumley, P.J. & Pecora, J.D. Evaluation of smear layer removal by EDTAC and sodium hypochlorite with ultrasonic agitation, 418
Gulabivala, K. *see* Alavi, A.M.
Gulabivala, K. *see* Egan, M.W.
Gulabivala, K. *see* Patel, K.
Gulabivala, K. *see* Seal, G.J.
Gulabivala, K. *see* Siers, M.L.
Gulabivala, K., Opasanon, A., Ng, Y.-L. & Alavi, A. Root and canal morphology of Thai mandibular molars, 56
Guo, H-Y. *see* Lu, H-X.
Guo, X-M. *see* Lu, H-X.
Gutmann, J.L. *see* Regan, J.D.
Gutteridge, D.L. *see* Al-Wahadni, A.
Gygax, M. *see* Lussi, A.

Hülsmann, M. *see* Rödig, T.
Hülsmann, M. *see* Versümer, J.
Hülsmann, M., Heckendorff, M. & Schäfers, F. Comparative *in-vitro* evaluation of three chelator pastes, 668
Haapasalo, M. *see* Da Silva, D.
Haapasalo, M. *see* Saleh, I.M.
Hagge, M.S., Wong, R.D. M. & Lindemuth, J.S. Effect of three root canal sealers on the retentive strength of endodontic posts luted with a resin cement, 372
Haliloğlu, S. *see* Ataoğlu, T.
Hals-Kvinnsland, I. *see* Brynjulfsen, A.
Halse, A. *see* Molven, O.
Halse, A. & Molven, O. Idiopathic osteosclerosis of the jaws followed through a period of 20–27 years, 747
Halse, A., Molven, O. & Fristad, I. Diagnosing periapical lesions – disagreement and borderline cases, 703
Hamasha, A.A., Al-Khateeb, T. & Darwazeh, A. Prevalence of dilaceration in Jordanian adults, 910
Hammarström L. *see* Nakamura, Y.
Harnirattisai, C. *see* Kijsamanmith, K.
Harris, L.J. *see* Dorn, B.R.
Haueisen, H. & Heidemann, D. Hemisection for treatment of an advanced endodontic–periodontal lesion: a case report, 557
Hauman, C.H. J., Chandler, N.P. & Tong, D.C. Endodontic implications of the maxillary sinus: a review, 127
Hayashi, M. *see* Tsurumachi, T.
Heckendorff, M. *see* Hülsmann, M.
Heidemann, D. *see* Haueisen, H.
Holland, G.R. *see* Michaelson, P.L.
Hommez, G.M. G. *see* De Moor, R.J. G.
Hommez, G.M.G. *see* Calberson, F.L.G.
Hommez, G.M.G., Coppens, C.R.M. & De Moor, R.J.G. Periapical health related to the quality of coronal restorations and root fillings, 680
Hoshino, E. *see* Cruz, E.V.
Huang, F.-M. *see* Tsai, C.-H.
Huang, F.-M. & Chang, Y.-C. Cytotoxicity of dentine-bonding agents on human pulp cells *in vitro*, 905
Huang, F.-M., Tai, K.-W., Chou, M.-Y. & Chang, Y.-C. Cytotoxicity of resin-, zinc oxide-eugenol-, and calcium hydroxide-based root canal sealers on human periodontal ligament cells and permanent V79 cells, 153
Huque, J. *see* Cruz, E.V.

Ishikawa, K. *see* Cruz, E.V.
Iwaku, M. *see* Cruz, E.V.

Jou, Y.T. *see* Maggiore, F.

Kapalas, A. *see* Lambrianidis, T.
Karlović Z. *see* Miletić I.
Kaufman, A.Y., Keila, S. & Yoshpe, M. Accuracy of a new apex locator: an *in vitro* study, 186
Keila, S. *see* Kaufman, A.Y.
Kennedy, J.G. *see* Awawdeh, L.
Kijsamanmith, K., Timpawat, S., Harnirattisai, C. & Messer, H.H. Micro-tensile bond strengths of bonding agents to pulpal floor dentine, 833
Kim, S. *see* Maggiore, F.
Kim, S.K. & Kim, Y.O. Influence of calcium hydroxide intracanal medication on apical seal, 623
Kim, Y.O. *see* Kim, S.K.
Kitasako, Y., Shibata, S., Cox, C.F. & Tagami, J. Location, arrangement and possible function of interodontoblastic collagen fibres in association with calcium hydroxide-induced hard tissue bridges, 996
Knudsen, G.C. *see* Fristad, I.
Kobayashi, C. *see* Niu, W.
Koch, M.J. *see* Mente, J.
Kolker, J. *see* Caplan, D.J.
Kont Çobankara, F., Adanir, N., Belli, S. & Pashley, D.H. A quantitative evaluation of apical leakage of four root-canal sealers, 979
Kota, K. *see* Cruz, E.V.
Kulkarni, G.K. *see* Yared, G.M.
Kvist, T. & Reit, C. The perceived benefit of endodontic retreatment, 359

Lam, J.M. *see* Egan, M.W.
Lambrechts, P. *see* Bergmans, L.
Lambrianidis, T., Kapalas, A. & Mazinis, M. Effect of calcium hydroxide as a supplementary barrier in the radicular penetration of hydrogen peroxide during intracoronal bleaching *in vitro*, 985
Lamey, P.-J. *see* Awawdeh, L.
Lang, N.P. *see* Nicopoulou-Karayianni, K.
Laszkiewicz, J. *see* Gambarini, G.
Ledvinka, J.I.M. *see* Meechan, J.G.
Leonardo, M.R. *see* Tanomaru Filho, M.
Lin, S. *see* Fuss, Z.
Lindemuth, J.S. *see* Hagge, M.S.
Linden, G.J. *see* Awawdeh, L.
Llena, C. *see* Lozano, A.
Löst, C. *see* Weiger, R.
Lohmann, D. *see* Schäfer, E.

© 2002 Blackwell Science Ltd

Lozano, A., Forner, L. & Llena, C. *In vitro* comparison of root-canal measurements with conventional and digital radiology, 542
Lu, H-X., Xiao, M-Z., Niu, Z-Y., Guo, X-M., Zhao, S-L., Wang, H-G. & Guo, H-Y. Effect of IL-1ra on human dental pulp cells and pulpal inflammation, 807
de Lucena, J. *see* Weiger, R.
Lumley, P.J. *see* Guerisoli, D.M. Z.
Lundquist, P. *see* Molander, A.
Lundy, F.T. *see* Awawdeh, L.
Luoto, H. *see* Wahlgren, J.
Lupi-Pegurier, L., Bertrand, M.-F., Muller-Bolla, M., Rocca, J.P. & Bolla, M. Periapical status, prevalence and quality of endodontic treatment in an adult French population, 690
Lussi, A. *see* Attin, T.
Lussi, A., Suter, B., Fritzsche, A., Gygax, M. & Portmann, P. *In vivo* performance of the new non-instrumentation technology (NIT) for root canal obturation, 352
Lynch, C.D. & Burke, F.M. Incomplete tooth fracture following root-canal treatment: a case report, 642
Lyngstadaas, S.P. *see* Nakamura, Y.

Mühge, M. *see* Rödig, T.
MacDonald-Jankowski, D. *see* Molven, O.
Machtou, P. *see* Boucher, Y.
Machtou, P. *see* Yared, G.M.
MacKenzie, D. *see* Coldero, L.G.
Madléna, M. *see* Dobó-Nagy, C.
Maggiore, F., Jou, Y.T. & Kim, S. A six-canal maxillary first molar: case report, 486
Marín, M.L. *see* Tobón, S.I.
Maršan, T. *see* Miletić I.
Marchesan, M.A. *see* Guerisoli, D.M. Z.
Margelos, J. *see* Zinelis, S.
Martins, R.C., Bahia, M.G.A. & Buono, V.T.L. Surface analysis of ProFile instruments by scanning electron microscopy and X-ray energy-dispersive spectroscopy: a preliminary study, 848
Matossian, L. *see* Boucher, Y.
Matsumoto, K. *see* Nakamura, Y.
Mazinis, M. *see* Lambrianidis, T.
McDonnell, D.J. *see* Siragusa, M.
McHugh, E.S. *see* Stewardson, D.A.
McHugh, S. *see* Coldero, L.G.
Meechan, J.G. Supplementary routes to local anaesthesia, 885
Meechan, J.G. & Ledvinka, J.I.M. Pulpal anaesthesia for mandibular central incisor teeth: a comparison of infiltration and intraligamentary injections, 629
Mente, J., Seidel, J., Buchalla, W. & Koch, M.J. Electronic determination of root canal length in primary teeth with and without root resorption, 447
Mesa, A.L. *see* Tobón, S.I.
Messer, H.H. *see* Kijsamanmith, K.
Messer, H.H. *see* Pane, E.S.
Messer, H.H. *see* Tan, B.T.
Michaelson, P.L. & Holland, G.R. Is pulpitis painful?, 829
Miletić I., Prpić-Mehičić G., Maršan, T., Tambič-Andrašević A., Pleško, S., Karlović Z. & Anić I. Bacterial and fungal microleakage of AH26 and AH Plus root canal sealers, 428
Mizrahi, A. *see* Fuss, Z.
Molander, A., Lundquist, P., Papapanou, P.N., Dahlén, G. & Reit, C. A protocol for polymerase chain reaction detection of *Enterococcus faecalis* and *Enterococcus faecium* from the root canal, 1
Moles, D.R. *see* Egan, M.W.
Molven, O. *see* Fristad, I.
Molven, O. *see* Halse, A.
Molven, O., Halse, A., Fristad, I. & MacDonald-Jankowski, D. Periapical changes following root-canal treatment observed 20–27 years postoperatively, 784
Molven, O., Halse, A. & Fristad, I. Long-term reliability and observer comparisons in the radiographic diagnosis of periapical disease, 142
Moraes, S.R. *see* Siqueira Jr, J.F.
Muller-Bolla, M. *see* Lupi-Pegurier, L.
Murashima, Y. *see* Yoshikawa, G.
Murashima, Y., Yoshikawa, G., Wadachi, R., Sawada, N. & Suda, H. Calcium sulphate as a bone substitute for various osseous defects in conjunction with apicectomy, 768

Nagy, G. *see* Dobó-Nagy, C.
Nahmias, Y. & Rampado, M.E. Root-canal treatment of a trifid crown premolar, 390
Nahmias, Y. & Rampado, M.E. Root-canal treatment of a trifid crown premolar, 390
Nakagawa, R. *see* Zaia, A.A.
Nakamura, Y., Hammarström L., Matsumoto, K. & Lyngstadaas, S.P. The induction of reparative dentine by enamel proteins, 407
Naoum, H.J. & Chandler, N.P. Temporization for endodontics, 964
Ng, Y.-L. *see* Alavi, A.M.
Ng, Y.-L. *see* Egan, M.W.
Ng, Y.-L. *see* Seal, G.J.
Ng, Y.-L. *see* Gulabivala, K.
Nicopoulou-Karayianni, K., Bragger, U., Patrikiou, A., Stassinakis, A. & Lang, N.P. Image processing for enhanced observer agreement in the evaluation of periapical bone changes, 615
Niu, W., Yoshioka, T., Kobayashi, C. & Suda, H. A scanning electron microscopic study of dentinal erosion by final irrigation with EDTA and NaOCl solutions, 934
Niu, Z-Y. *see* Lu, H-X.

Özmeriç, N. Localised alveolar bone necrosis following the use of an arsenical paste: a case report, 295
Öztan, M.D. Endodontic treatment of teeth associated with a large periapical lesion, 73
Olea, N. *see* Pulgar, R.
Oliveira, D.P. *see* Gonçalves, A.
Opasanon, A. *see* Alavi, A.M.

© 2002 Blackwell Science Ltd

Opasanon, A. *see* Gulabivala, K.
O'Sullivan, M.I., *see* Quinlan, C.A.
Ørstavik, D. *see* Da Silva, D.
Ørstavik, D. *see* Saleh, I.M.

Palamara, J.E. A. *see* Castrisos, T.V.
Palamara, J.E. A. *see* Pane, E.S.
Pane, E.S., Palamara, J.E. A. & Messer, H.H. Stainless steel bands in endodontics: effects on cuspal flexure and fracture resistance, 467
Pantelidou, O. *see* Tziafas, D.
Papadimitriou, S. *see* Tziafas, D.
Papapanou, P.N. *see* Molander, A.
Pashley, D.H. *see* Kont Çobankara, F.
Pasquantonio, G. *see* Venturi, M.
Patel, K., Darbar, U.R. & Gulabivala, K. External cervical resorption associated with localized gingival overgrowth, 395
Patrikiou, A. *see* Nicopoulou-Karayianni, K.
Pecora, J.D. *see* Baratto-Filho, F.
Pecora, J.D. *see* Guerisoli, D.M. Z.
Perrini, N. *see* Bellucci, C.
Peters, C.I. & Peters, O.A. Occlusal loading of EBA and MTA root-end fillings in a computer-controlled masticator: a scanning electron microscopic study, 22
Peters, L.B. & Wesselink, P.R. Periapical healing of endodontically treated teeth in one and two visits obturated in the presence or absence of detectable microorganisms, 660
Peters, L.B., Wesselink, P.R. & van Winkelhoff, A.J. Combinations of bacterial species in endodontic infections, 698
Peters, L.B., van Winkelhoff, A.-J., Buijs, J.F. & Wesselink, P.R. Effects of instrumentation, irrigation and dressing with calcium hydroxide on infection in pulpless teeth with periapical bone lesions, 13
Peters, O.A. *see* Peters, C.I.
Peters, O.A. & Barbakow, F. Dynamic torque and apical forces of ProFile .04 rotary instruments during preparation of curved canals, 379
Pleško, S. *see* Miletić I.
Portenier, I. *see* Da Silva, D.
Portmann, P. *see* Lussi, A.
Progulske-Fox, A. *see* Dorn, B.R.
Prpić-Mehičić G. *see* Miletić I.
Puddu, G. *see* Cotti, E.
Pulgar, R., Segura-Egea, J.J., Fernández, M.F., Serna, A. & Olea, N. The effect of AH 26 and AH Plus on MCF-7 breast cancer cell proliferation *in vitro*, 551

Qualtrough, A.J. E. *see* Ardeshna, S.M.
Quinlan, C.A., Zisterer, D.M., Tipton, K.F. & O'Sullivan, M.I. O. *In vitro* cytotoxicity of a composite resin and compomer, 47

Rôças, I.N. *see* Siqueira Jr, J.F.
Rödig, T., Hülsmann, M., Mühge, M. & Schäfers, F. Quality of preparation of oval distal root canals in mandibular molars using nickel-titanium instruments, 919
Raes, H. *see* Calberson, F.L.G.
Rafter, M., Baker, M., Alves, M., Daniel, J. & Remeikis, N. Evaluation of healing with use of an internal matrix to repair furcation perforations, 775
Rampado, M.E. *see* Nahmias, Y.
Regan, J.D., Gutmann, J.L. & Witherspoon, D.E. Comparison of Diaket and MTA when used as root-end filling materials to support regeneration of the periradicular tissues, 840
Reit, C. *see* Kvist, T.
Reit, C. *see* Molander, A.
Remeikis, N. *see* Rafter, M.
Reynaud, A. *see* Da Silva, D.
Rilliard, F. *see* Boucher, Y.
Rivera, E.M. *see* Caplan, D.J.
Rocca, J.P. *see* Lupi-Pegurier, L.
Roris, A. *see* Wu, M.-K.
Ruyter, I.E. *see* Saleh, I.M.

Saleh, I.M., Ruyter, I.E., Haapasalo, M. & Ørstavik, D. The effects of dentine pretreatment on the adhesion of root-canal sealers, 859
Salo, T. *see* Wahlgren, J.
Santos, K.R. N. *see* Siqueira Jr, J.F.
Saunders, W.P. *see* Coldero, L.G.
Sawada, N. *see* Murashima, Y.
Sawada, N. *see* Yoshikawa, G.
Schäfer, E. Effect of sterilization on the cutting efficiency of PVD-coated nickel–titanium endodontic instruments, 867
Schäfer, E. & Lohmann, D. Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 1. Shaping ability in simulated curved canals, 505
Schäfer, E. & Lohmann, D. Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 2. Cleaning effectiveness and instrumentation results in severely curved root canals of extracted teeth, 514
Schäfers, F. *see* Hülsmann, M.
Schäfers, F. *see* Rödig, T.
Schäfers, F. *see* Versümer, J.
Seal, G.J., Ng, Y.-L., Spratt, D., Bhatti, M. & Gulabivala, K. An *in vitro* comparison of the bactericidal efficacy of lethal photosensitization or sodium hyphochlorite irrigation on *Streptococcus intermedius* biofilms in root canals, 268
Segura-Egea, J.J. *see* Pulgar, R.
Seidel, J. *see* Mente, J.
Serbán T. *see* Dobó-Nagy, C.
Serna, A. *see* Pulgar, R.
Serpek, B. *see* Ataoğlu, T.
Shaw, C. *see* Awawdeh, L.
Shibata, S. *see* Kitasako, Y.

© 2002 Blackwell Science Ltd

Shibata, S., Yoneda, S., Yanagishita, M. & Yamashita, Y. Developmental changes and regional differences in histochemical localization of hyaluronan and versican in postnatal molar dental pulp, 159
Shigetani, Y. *see* Cruz, E.V.
Siers, M.L., Willemsen, W.L. & Gulabivala, K. Monitoring pulp vitality after transplantation of teeth with mature roots: a case report, 289
Silva, L.A.B. *see* Tanomaru Filho, M.
Siqueira Jr, J.F., Rôças, I.N., Moraes, S.R. & Santos, K.R.N. Direct amplification of rRNA gene sequences for identification of selected oral pathogens in root canal infections, 345
Siragusa, M. & McDonnell, D.J. Indirect digital images: limit of image compression for diagnosis in endodontics, 991
Slaus, G. & Bottenberg, P. A survey of endodontic practice amongst Flemish dentists, 759
van der Sluis, L.W.M. *see* Wu, M.-K.
Sorsa, T. *see* Wahlgren, J.
Sousa-Neto, M.D. *see* Baratto-Filho, F.
Souza-Filho, F.J. *see* Vivacqua-Gomes, N.
Souza-Filho, F.J. *see* Zaia, A.A.
Spratt, D. *see* Seal, G.J.
Spratt, D.A. *see* Egan, M.W.
Stankiewicz, N.R. & Wilson, P.R. The ferrule effect: a literature review, 575
Stassinakis, A. *see* Nicopoulou-Karayianni, K.
Stewardson, D.A. & McHugh, E.S. Patients' attitudes to rubber dam, 812
Suda, H. *see* Murashima, Y.
Suda, H. *see* Niu, W.
Suda, H. *see* Yoshikawa, G.
Sundqvist, G. *see* Evans, M.
Suter, B. *see* Lussi, A.
Szabó J. *see* Dobó-Nagy, C.

Tinaz, A.C., Alaçam, T. & Topuz, Ö. A simple model to demonstrate the electronic apex locator, 940
Tagami, J. *see* Kitasako, Y.
Tai, K.-W. *see* Huang, F.-M.
Takeichi, O. *see* Tsurumachi, T.
Tambič-Andrašević A. *see* Miletić I.
Tan, B.T. & Messer, H.H. The effect of instrument type and preflaring on apical file size determination, 752
Tanomaru Filho, M., Leonardo, M.R., Silva, L.A.B., Aníbal, F.F. & Faccioli, L.H. Inflammatory response to different endodontic irrigating solutions, 735
Teixeira, F.B. *see* Vivacqua-Gomes, N.
Teixeira, F.B. *see* Zaia, A.A.
Teronen, O. *see* Wahlgren, J.
Timpawat, S. *see* Kijsamanmith, K.
Tipton, K.F. *see* Quinlan, C.A.
Tjäderhane, L. *see* Wahlgren, J.
Tobón, S.I., Arismendi, J.A., Marín, M.L., Mesa, A.L. & Valencia, J.A. Comparison between a conventional technique and two bone regeneration techniques in periradicular surgery, 635
Tong, D.C. *see* Hauman, C.H.J.
Topuz, Ö. *see* Tinaz, A.C.
Tsai, C.-H., Huang, F.-M., Yang, L.-C., Chou, M.-Y. & Chang, Y.-C. Immunohistochemical localization of cyclooxygenase-2 in radicular cysts, 854
Tsurumachi, T., Hayashi, M. & Takeichi, O. Non-surgical root canal treatment of *dens invaginatus* type 2 in a maxillary lateral incisor, 68
Tziafas, D., Pantelidou, O., Alvanou, A., Belibasakis, G. & Papadimitriou, S. The dentinogenic effect of mineral trioxide aggregate (MTA) in short-term capping experiments, 245

Üngör M. *see* Arı H.
Üngör M. *see* Ataoğlu T.

Valencia, J.A. *see* Tobón, S.I.
Van Cleynenbreugel, J. *see* Bergmans, L.
Van Meerbeek, B. *see* Bergmans, L.
Van Nieuwenhuysen, J.-P. *see* Aryanpour, S.
Velvart, P. Papilla base incision: a new approach to recession-free healing of the interdental papilla after endodontic surgery, 453
Venturi, M., Pasquantonio, G., Falconi, M. & Breschi, L. Temperature change within gutta-percha induced by the System-B Heat Source, 740
Versümer, J., Hülsmann, M. & Schäfers, F. A comparative study of root canal preparation using ProFile .04 and Lightspeed rotary NiTi-instruments, 37
Vertucci, F.J. *see* Dorn, B.R.
Vier, F.V. & Figueiredo, J.A.P. Prevalence of different periapical lesions associated with human teeth and their correlation with the presence and extension of apical external root resorption, 710
Vivacqua-Gomes, N., Ferraz, C.C.R., Gomes, B.P.F.A., Zaia, A.A., Teixeira, F.B. & Souza-Filho, F.J. Influence of irrigants on the coronal microleakage of laterally condensed gutta-percha root fillings, 791

Wadachi, R. *see* Murashima, Y.
Wadachi, R. *see* Yoshikawa, G.
Wahlgren, J., Salo, T., Teronen, O., Luoto, H., Sorsa, T. & Tjäderhane, L. Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates, 897
Walmsley, A.D. *see* Guerisoli, D.M.Z.
Walton, R.E. *see* Caplan, D.J.
Wang, H-G. *see* Lu, H-X.
Weiger, R., de Lucena, J., Decker, H.E. & Löst, C. Vitality status of microorganisms in infected human root dentine, 166
Weiss, E.I. *see* Fuss, Z.
Wesselink, P.R. *see* Doornbusch, H.
Wesselink, P.R. *see* Peters, L.B.
Wesselink, P.R. *see* Wu, M.-K.
Wevers, M. *see* Bergmans, L.
Willemsen, W.L. *see* Siers, M.L.

© 2002 Blackwell Science Ltd

Wilson, P.R. *see* Stankiewicz, N.R.
van Winkelhoff, A.-J. *see* Peters, L.B.
van Winkelhoff, A.J. *see* Peters, L.B.
Witherspoon, D.E. *see* Regan, J.D.
Wong, R.D. M. *see* Hagge, M.S.
Worthington, H.V. *see* Ardeshna, S.M.
Wu, M.-K., Barkis, D., Roris, A. & Wesselink, P.R. Does the first file to bind correspond to the diameter of the canal in the apical region?, 264
Wu, M.-K., van der Sluis, L.W.M. & Wesselink, P.R. A preliminary study of the percentage of gutta-percha-filled area in the apical canal filled with vertically compacted warm gutta-percha, 527
Wujick, C.T. *see* Dorn, B.R.

Xiao, M-Z. *see* Lu, H-X.
Yamashita, Y. *see* Shibata, S.
Yanagishita, M. *see* Shibata, S.
Yang, L.-C. *see* Tsai, C.-H.
Yared, G.M., Bou Dagher, F.E., Machtou, P. & Kulkarni, G.K. Influence of rotational speed, torque, and operator proficiency on failure of Greater Taper files, 7
Yared, G.M. & Kulkarni, G.K. Failure of ProFile Ni–Ti instruments used by an inexperienced operator under access limitations, 536
Yoneda, S. *see* Shibata, S.
Yoshikawa, G. *see* Murashima, Y.
Yoshikawa, G., Murashima, Y., Wadachi, R., Sawada, N. & Suda, H. Guided bone regeneration (GBR) using membranes and calcium sulphate after apicectomy: a comparative histomorphometrical study, 255
Yoshioka, T. *see* Niu, W.
Yoshpe, M. *see* Kaufman, A.Y.

Zaia, A.A. *see* Vivacqua-Gomes, N.
Zaia, A.A., Nakagawa, R., De Quadros, I., Gomes, B.P.F.A., Ferraz, C.C.R., Teixeira, F.B. & Souza-Filho, F.J. An *in vitro* evaluation of four materials as barriers to coronal microleakage in root-filled teeth, 729
Zaimoglu, L. *see* Dartar Öztan, M.
Zhao, S-L. *see* Lu, H-X.
Zinelis, S. & Margelos, J. *In vivo* fracture of a new rubber-dam clamp, 720
Zirkel, C. *see* Attin, T.
Zisterer, D.M. *see* Quinlan, C.A.

© 2002 Blackwell Science Ltd

Keyword Index

access limitations, Failure of ProFile Ni–Ti instruments used by an inexperienced operator under access limitations, 536
adhesion, Effect of three root canal sealers on the retentive strength of endodontic posts luted with a resin cement, 372
AH26, The long-term sealing ability of an epoxy resin root canal sealer used with five gutta percha obturation techniques, 275
anatomical variations, Clinical and macroscopic study of maxillary molars with two palatal roots, 796
apex locator, A simple model to demonstrate the electronic apex locator, 940
apical file size determination, The effect of instrument type and preflaring on apical file size determination, 752
apical leakage, A quantitative evaluation of apical leakage of four root-canal sealers, 979
Influence of calcium hydroxide intracanal medication on apical seal, 623
apical periodontitis, Periapical health related to the quality of coronal restorations and root fillings, 680
apical root resorption, Prevalence of different periapical lesions associated with human teeth and their correlation with the presence and extension of apical external root resorption, 710
apicectomy, Calcium sulphate as a bone substitute for various osseous defects in conjunction with apicectomy, 768
Guided bone regeneration (GBR) using membranes and calcium sulphate after apicectomy: a comparative histomorphometrical study, 255
apoptosis, *In vitro* cytotoxicity of a composite resin and compomer, 47
arsenical paste, Localized alveolar bone necrosis following the use of an arsenical paste: a case report, 295
autoclave, Effect of sterilization on the cutting efficiency of PVD-coated nickel–titanium endodontic instruments, 867
automated root canal preparation, A comparative study of root canal preparation using ProFile .04 and Lightspeed rotary Ni-Ti instruments, 37

backfilling, A comparative study of lateral condensation, heat-softened gutta-percha, and a modified master cone heat-softened backfilling technique, 1005
bacteria, A laboratory study of the effect of calcium hydroxide mixed with iodine or electrophoretically activated copper on bacterial viability in dentinal tubules, 522
bacterial viability, Vitality status of microorganisms in infected human root dentine, 166
binding file, Does the first file to bind correspond to the diameter of the canal in the apical region?, 264
Bingo 1020, Accuracy of a new apex locator: an *in vitro* study, 186
biocompatibility, Inflammatory response to different endodontic irrigating solutions, 735
biofilm, An *in vitro* comparison of the bactericidal efficacy of lethal photosensitization or sodium hyphochlorite irrigation on *Streptococcus intermedius* biofilms in root canals, 268
bisphenol A, The effect of AH 26 and AH Plus on MCF-7 breast cancer cell proliferation *in vitro*, 551
bonding agents, Micro-tensile bond strengths of bonding agents to pulpal floor dentine, 833
bone substitute, Calcium sulphate as a bone substitute for various osseous defects in conjunction with apicectomy, 768
borderline cases, Diagnosing periapical lesions – disagreement and borderline cases, 703

C-shape, C-shaped root canal configuration in maxillary first molars, 200
C-shaped canal, C-shaped root canals in mandibular second molars in a Saudi Arabian population, 499
calcitonin gene-related peptide, Quantitative analysis of substance P, neurokinin A and calcitonin gene-related peptide in pulp tissue from painful and healthy human teeth, 30
calcium hydroxide overextension, Periapical lesions accidentally filled with calcium hydroxide, 946
calcium hydroxide, A laboratory study of the effect of calcium hydroxide mixed with iodine or electrophoretically activated copper on bacterial viability in dentinal tubules, 522
Effects of instrumentation, irrigation and dressing with calcium hydroxide on infection in pulpless teeth with periapical bone lesions, 13
An *in vitro* comparison of pH changes in root dentine following canal dressing with calcium hydroxide points and a conventional calcium hydroxide paste, 239
Effect of calcium hydroxide as a supplementary barrier in the radicular penetration of hydrogen peroxide during intracoronal bleaching *in vitro*, 985
Endodontic treatment of teeth associated with a large periapical lesion, 78
Influence of calcium hydroxide intracanal medication on apical seal, 623

© 2002 Blackwell Science Ltd

Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates, 897
Periapical healing of endodontically treated teeth in one and two visits obturated in the presence or absence of detectable microorganisms, 660
Periapical lesions accidentally filled with calcium hydroxide, 946
Vitality status of microorganisms in infected human root dentine, 166
calcium sulphate, Calcium sulphate as a bone substitute for various osseous defects in conjunction with apicectomy, 768
Guided bone regeneration (GBR) using membranes and calcium sulphate after apicectomy: a comparative histomorphometrical study, 255
canal cleanliness, Quality of preparation of oval distal root canals in mandibular molars using nickel-titanium instruments, 919
canal curvature, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 2. Cleaning effectiveness and instrumentation results in severely curved root canals of extracted teeth, 514
canal diameter, Does the first file to bind correspond to the diameter of the canal in the apical region?, 264
canal shape, Quality of preparation of oval distal root canals in mandibular molars using nickel-titanium instruments, 919
canal shaping, A comparison of the shaping characteristics of two nickel-titanium endodontic hand instruments, 283
Smooth flexible versus active tapered shaft design using NiTi rotary instruments, 820
canal straightening, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 2. Cleaning effectiveness and instrumentation results in severely curved root canals of extracted teeth, 514
canal transportation, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 1. Shaping ability in simulated curved canals, 505
capping material, The dentinogenic effect of mineral trioxide aggregate (MTA) in short-term capping experiments, 245
caspase, *In vitro* cytotoxicity of a composite resin and compomer, 47
cast post and core, An *in vitro* investigation into the effects of retained coronal dentine on the strength of a tooth restored with a cemented post and partial core restoration, 913
cements, Effect of three root canal sealers on the retentive strength of endodontic posts luted with a resin cement, 372
cervical root resorption, Effect of calcium hydroxide as a supplementary barrier in the radicular penetration of hydrogen peroxide during intracoronal bleaching *in vitro*, 985
chelating agents, Comparative *in-vitro* evaluation of three chelator pastes, 668
chlorhexidine gel, Influence of irrigants on the coronal microleakage of laterally condensed gutta-percha root fillings, 791
chlorhexidine gluconate, Endodontic treatment of teeth associated with a large periapical lesion, 78
chlorhexidine, Inflammatory response to different endodontic irrigating solutions, 735
citric acid, The effects of dentine pretreatment on the adhesion of root-canal sealers, 859
clamp, *In vivo* fracture of a new rubber-dam clamp, 720
cleansing, Clinical evaluation of the cleansing properties of the noninstrumental technique for cleaning root canals, 929
clinical and radiographic evaluation, Periapical health related to the quality of coronal restorations and root fillings, 680
compomer, *In vitro* cytotoxicity of a composite resin and compomer, 47
composite resin, *In vitro* cytotoxicity of a composite resin and compomer, 47
compression, Indirect digital images: limit of image compression for diagnosis in endodontics, 991
coronal flaring, The effect of instrument type and preflaring on apical file size determination, 752
coronal leakage, Influence of irrigants on the coronal microleakage of laterally condensed gutta-percha root fillings, 791
Periapical health related to the quality of coronal restorations and root fillings, 680
coronal microleakage, An *in vitro* evaluation of four materials as barriers to coronal microleakage in root-filled teeth, 729
coronal restoration, Periapical health related to the quality of coronal restorations and root fillings, 680
coronal sealing, An *in vitro* evaluation of four materials as barriers to coronal microleakage in root-filled teeth, 729
coronary cells, Invasion of vascular cells *in vitro* by *Porphyromonas endodontalis*, 366
corrosion, Corrosion rates of stainless-steel files in different irrigating solutions, 655
Effect of sterilization on the cutting efficiency of PVD-coated nickel–titanium endodontic instruments, 867
cross infection, Surface analysis of ProFile instruments by scanning electron microscopy and X-ray energy-dispersive spectroscopy: a preliminary study, 848
curved canals, Dynamic torque and apical forces of ProFile .04 rotary instruments during preparation of curved canals, 379
curved root canals, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 1. Shaping ability in simulated curved canals, 505

© 2002 Blackwell Science Ltd

cyclic fatigue, Dynamic torque and apical forces of ProFile .04 rotary instruments during preparation of curved canals, 379
cyclooxygenase-2, Immunohistochemical localization of cyclooxygenase-2 in radicular cysts, 854
cytotoxicity, Cytotoxicity of dentine-bonding agents on human pulp cells *in vitro*, 905
Cytotoxicity of resin-, zinc oxide-eugenol-, and calcium hydroxide-based root canal sealers on human periodontal ligament cells and permanent V79 cells, 153

debris, A scanning electron microscopic study of dentinal erosion by final irrigation with EDTA and NaOCl solutions, 934
Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 2. Cleaning effectiveness and instrumentation results in severely curved root canals of extracted teeth, 514
decision-making, The perveived benefit of endodontic retreatment, 359
dens in dente, Dens invaginatus type III: report of a case and 10-year radiographic follow-up, 873
dens invaginatus, Dens invaginatus type III: report of a case and 10-year radiographic follow-up, 873
Non-surgical root canal treatment of *dens invaginatus* type 2 in a maxillary lateral incisor, 68
dental local anaesthesia, Supplementary routes to local anaesthesia, 885
dental prosthesis design, The ferrule effect: a literature review, 575
dental pulp, Developmental changes and regional differences in histochemical localization of hyaluronan and versican in postnatal molar dental pulp, 159
The dentinogenic effect of mineral trioxide aggregate (MTA) in short-term capping experiments, 245
The induction of reparative dentine by enamel proteins, 407
dental radiology, Image processing for enhanced observer agreement in the evaluation of periapical bone changes, 615
dental, Patients' attitudes to rubber dam, 812
dentinal erosion, A scanning electron microscopic study of dentinal erosion by final irrigation with EDTA and NaOCl solutions, 934
dentinal thickness, A study on the thickness of radicular dentine and cementum in anterior and premolar teeth, 594
dentine bridge, Location, arrangement and possible function of interodontoblastic collagen fibres in association with calcium hydroxide-induced hard tissue bridges, 996
dentine tubules, A laboratory study of the effect of calcium hydroxide mixed with iodine or electrophoretically activated copper on bacterial viability in dentinal tubules, 522
dentine-bonding agents, Cytotoxicity of dentine-bonding agents on human pulp cells *in vitro*, 905
dentine, A study on the thickness of radicular dentine and cementum in anterior and premolar teeth, 594
An *in vitro* comparison of pH changes in root dentine following canal dressing with calcium hydroxide points and a conventional calcium hydroxide paste, 239
Penetration of propylene glycol into dentine, 330
dentinogenesis, The induction of reparative dentine by enamel proteins, 407
dentist behaviour, The perveived benefit of endodontic retreatment, 359
design, An *in vitro* investigation into the effects of retained coronal dentine on the strength of a tooth restored with a cemented post and partial core restoration, 913
diagnosis, A new technique for the study of periapical bone lesions: ultrasound real time imaging, 148
Indirect digital images: limit of image compression for diagnosis in endodontics, 991
Prevalence of different periapical lesions associated with human teeth and their correlation with the presence and extension of apical external root resorption, 710
diaket, Comparison of Diaket and MTA when used as root-end filling materials to support regeneration of the periradicular tissues, 840
diffusion, Penetration of propylene glycol into dentine, 330
digital images, Indirect digital images: limit of image compression for diagnosis in endodontics, 991
dilaceration, Prevalence of dilaceration in Jordanian adults, 910
dye penetration, A laboratory study of coronal microleakage using four temporary restorative materials, 315
dynamic torque, Dynamic torque and apical forces of ProFile .04 rotary instruments during preparation of curved canals, 379

E. faecalis, Mechanisms involved in the resistance of *Enterococcus faecalis* to calcium hydroxide, 221
EBA, Occlusal loading of EBA and MTA root-end fillings in a computer-controlled masticator: a scanning electron microscopic study, 22
echography, A new technique for the study of periapical bone lesions: ultrasound real time imaging, 148
EDTA, A scanning electron microscopic study of dentinal erosion by final irrigation with EDTA and NaOCl solutions, 934
Comparative *in-vitro* evaluation of three chelator pastes, 668
The effects of dentine pretreatment on the adhesion of root-canal sealers, 859
electronic apex locator, Accuracy of a new apex locator: an *in vitro* study, 186

© 2002 Blackwell Science Ltd

enamel matrix, The induction of reparative dentine by enamel proteins, 407
endodontic and periodontal treatments, Endodontic and periodontal treatments of a geminated mandibular first premolar, 209
endodontic diagnosis, Is pulpitis painful?, 829
endodontic failure, Localized alveolar bone necrosis following the use of an arsenical paste: a case report, 295
endodontic infection, Direct amplification of rRNA gene sequences for identification of selected oral pathogens in root canal infections, 345
endodontic irrigating solutions, Inflammatory response to different endodontic irrigating solutions, 735
endodontic materials, Temporization for endodontics, 964
endodontic pathogens, Direct amplification of rRNA gene sequences for identification of selected oral pathogens in root canal infections, 345
endodontic re-treatment, Radiographic evaluation of cases referred for surgical endodontics, 472
endodontic retreatment, The perveived benefit of endodontic retreatment, 359
endodontic sealer, The effect of AH 26 and AH Plus on MCF-7 breast cancer cell proliferation *in vitro*, 551
endodontic surgery, Radiographic evaluation of cases referred for surgical endodontics, 472
endodontic therapy, Endodontic treatment of teeth associated with a large periapical lesion, 78
Periapical lesions accidentally filled with calcium hydroxide, 946
endodontic treatment, A laboratory study of the effect of calcium hydroxide mixed with iodine or electrophoretically activated copper on bacterial viability in dentinal tubules, 522
endodontic–periodontal lesion, Hemisection for treatment of an advanced endodontic–periodontal lesion: a case report, 557
endodontic, Invasion of vascular cells *in vitro* by *Porphyromonas endodontalis*, 366
endodontics, *In vitro* comparison of root-canal measurements with conventional and digital radiology, 542
A new technique for the study of periapical bone lesions: ultrasound real time imaging, 148
A study on the thickness of radicular dentine and cementum in anterior and premolar teeth, 594
An *in vitro* comparison of pH changes in root dentine following canal dressing with calcium hydroxide points and a conventional calcium hydroxide paste, 239
Endodontic implications of the maxillary sinus: a review, 127
Indirect digital images: limit of image compression for diagnosis in endodontics, 991
Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation, 229
Relationship between number of proximal contacts and survival of root canal treated teeth, 193
endodontology, Combinations of bacterial species in endodontic infections, 698
Effects of instrumentation, irrigation and dressing with calcium hydroxide on infection in pulpless teeth with periapical bone lesions, 13
Periapical healing of endodontically treated teeth in one and two visits obturated in the presence or absence of detectable microorganisms, 660
enterococci, A protocol for polymerase chain reaction detection of *Enterococcus faecalis* and *Enterococcus faecium* from the root canal, 1
epidemiology, Periapical status, prevalence and quality of endodontic treatment in an adult French population, 690
Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation, 229
Relationship between number of proximal contacts and survival of root canal treated teeth, 193
external cervical resorption, External cervical resorption associated with localized gingival overgrowth, 395
External cervical resorption associated with localized gingival overgrowth, 395

failure, Failure of ProFile Ni–Ti instruments used by an inexperienced operator under access limitations, 536
Influence of rotational speed, torque and operator proficiency of failure of Greater Taper files, 7
ferrule, The ferrule effect: a literature review, 575
final irrigation, A scanning electron microscopic study of dentinal erosion by final irrigation with EDTA and NaOCl solutions, 934
fluid filtration method, A quantitative evaluation of apical leakage of four root-canal sealers, 979
follow-up, Monitoring pulp vitality after transplantation of teeth with mature roots: a case report, 289
force, Dynamic torque and apical forces of ProFile .04 rotary instruments during preparation of curved canals, 379
fractography, *In vivo* fracture of a new rubber-dam clamp, 720
fracture resistance, An *in vitro* investigation into the effects of retained coronal dentine on the strength of a tooth restored with a cemented post and partial core restoration, 913
fracture, *In vivo* fracture of a new rubber-dam clamp, 720
fractures, Incidence of root fractures and methods used for post removal, 63

gemination, Endodontic and periodontal treatments of a geminated mandibular first premolar, 209
Root-canal treatment of a trifid crown premolar, 390
general dental practitioner, A survey of endodontic practice amongst Flemish dentists, 759
gingival enlargement, External cervical resorption associated with localized gingival overgrowth, 395

© 2002 Blackwell Science Ltd

External cervical resorption associated with localized gingival overgrowth, 395
Greater Taper files, Influence of rotational speed, torque and operator proficiency of failure of Greater Taper files, 7
GT™ Rotary Files, Shaping ability of GT™ Rotary Files in simulated resin root canals, 607
guided bone regeneration, Calcium sulphate as a bone substitute for various osseous defects in conjunction with apicectomy, 768
Comparison between a conventional technique and two bone regeneration techniques in periradicular surgery, 635
Guided bone regeneration (GBR) using membranes and calcium sulphate after apicectomy: a comparative histomorphometrical study, 255
gutta-percha-filled area, A preliminary study of the percentage of gutta-percha-filled area in the apical canal filled with vertically compacted warm gutta-percha, 527
gutta-percha, Temperature change within gutta-percha induced by the System-B Heat Source, 740
gutta-percha, Efficiency of the 0.04 taper ProFile during the re-treatment of gutta-percha-filled root canals, 651

hand files, A comparison of the shaping characteristics of two nickel-titanium endodontic hand instruments, 283
headache, Hemisection for treatment of an advanced endodontic–periodontal lesion: a case report, 557
health services research, Relationship between number of proximal contacts and survival of root canal treated teeth, 193
hemisection, Hemisection for treatment of an advanced endodontic–periodontal lesion: a case report, 557
herpes zoster, Prodromal herpes zoster – a diagnostic challenge in endodontics, 1012
human dental pulp cells (HDP), Effect of IL-1ra on human dental pulp cells and pulpal inflammation, 807
hyaluronan, Developmental changes and regional differences in histochemical localization of hyaluronan and versican in postnatal molar dental pulp, 159
hybrid condensation, The long-term sealing ability of an epoxy resin root canal sealer used with five gutta percha obturation techniques, 275
hydroxyapatite, Evaluation of healing with use of an internal matrix to repair furcation perforations, 775

IKI, A laboratory study of the effect of calcium hydroxide mixed with iodine or electrophoretically activated copper on bacterial viability in dentinal tubules, 522
immunohistochemical stain, Location, arrangement and possible function of interodontoblastic collagen fibres in association with calcium hydroxide-induced hard tissue bridges, 996
immunohistochemistry, Developmental changes and regional differences in histochemical localization of hyaluronan and versican in postnatal molar dental pulp, 159
Immunohistochemical localization of cyclooxygenase-2 in radicular cysts, 854
infected root dentine, Vitality status of microorganisms in infected human root dentine, 166
infection, Combinations of bacterial species in endodontic infections, 698
infiltration, Pulpal anaesthesia for mandibular central incisor teeth: a comparison of infiltration and intraligamentary injections, 629
inflammation, Immunohistochemical localization of cyclooxygenase-2 in radicular cysts, 854
Inflammatory response to different endodontic irrigating solutions, 735
instrument type, The effect of instrument type and preflaring on apical file size determination, 752
interfaces, Effect of three root canal sealers on the retentive strength of endodontic posts luted with a resin cement, 372
interleukin-1 receptor antagonist (IL-1ra), Effect of IL-1ra on human dental pulp cells and pulpal inflammation, 807
interleukin-1β, Interleukin-1β and tumour necrosis factor-α levels in periapical exudates, 181
interleukin-1β (IL-1β), Effect of IL-1ra on human dental pulp cells and pulpal inflammation, 807
internal matrix, Evaluation of healing with use of an internal matrix to repair furcation perforations, 775
interodontoblastic collagen fibres, Location, arrangement and possible function of interodontoblastic collagen fibres in association with calcium hydroxide-induced hard tissue bridges, 996
intracanal medicaments, Penetration of propylene glycol into dentine, 330
intracanal medication, Influence of calcium hydroxide intracanal medication on apical seal, 623
intracoronal bleaching, Effect of calcium hydroxide as a supplementary barrier in the radicular penetration of hydrogen peroxide during intracoronal bleaching *in vitro*, 985
intraligamentary anaesthesia, Supplementary routes to local anaesthesia, 885
intraligamentary injections, Pulpal anaesthesia for mandibular central incisor teeth: a comparison of infiltration and intraligamentary injections, 629
intraosseous anaesthesia, Supplementary routes to local anaesthesia, 885
intrapulpal anaesthesia, Supplementary routes to local anaesthesia, 885
invasion, Invasion of vascular cells *in vitro* by *Porphyromonas endodontalis*, 366
in vitro model, A simple model to demonstrate the electronic apex locator, 940

© 2002 Blackwell Science Ltd

irrigants, Influence of irrigants on the coronal microleakage of laterally condensed gutta-percha root fillings, 791
irrigating solutions, Corrosion rates of stainless-steel files in different irrigating solutions, 655
irrigation solutions, Accuracy of a new apex locator: an *in vitro* study, 186
irrigation, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 2. Cleaning effectiveness and instrumentation results in severely curved root canals of extracted teeth, 514

jaw disease, Idiopathic osteosclerosis of the jaws followed through a period of 20–27 years, 747
Jordan, Prevalence of dilaceration in Jordanian adults, 910

laster, An *in vitro* comparison of the bactericidal efficacy of lethal photosensitization or sodium hyphochlorite irrigation on *Streptococcus intermedius* biofilms in root canals, 268
lateral condensation, *In vivo* performance of the new non-instrumentation technology (NIT) for root canal obturation, 352
A comparative study of lateral condensation, heat-softened gutta-percha, and a modified master cone heat-softened backfilling technique, 1005
Efficiency of the 0.04 taper ProFile during the retreatment of gutta-percha-filled root canals, 651
leakage, An *in vitro* evaluation of four materials as barriers to coronal microleakage in root-filled teeth, 729
The long-term sealing ability of an epoxy resin root canal sealer used with five gutta percha obturation techniques, 275
Light-speed, A comparative study of root canal preparation using ProFile .04 and Lightspeed rotary Ni-Ti instruments, 37
lipopolysaccharide (LPS), Effect of IL-1ra on human dental pulp cells and pulpal inflammation, 807
local anaesthesia, Pulpal anaesthesia for mandibular central incisor teeth: a comparison of infiltration and intraligamentary injections, 629
local periodontal defect, Hemisection for treatment of an advanced endodontic–periodontal lesion: a case report, 557

macrophages, Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates, 897
mandibular central incisor, Pulpal anaesthesia for mandibular central incisor teeth: a comparison of infiltration and intraligamentary injections, 629
mandibular first premolar, Endodontic and periodontal treatments of a geminated mandibular first premolar, 209
mandibular second molar, C-shaped root canals in mandibular second molars in a Saudi Arabian population, 499
marginal adaptation, Occlusal loading of EBA and MTA root-end fillings in a computer-controlled masticator: a scanning electron microscopic study, 22
maxillary first molar, A six-canal maxillary first molar: case report, 486
C-shaped root canal configuration in maxillary first molars, 200
maxillary first premolar, Root-canal treatment of a trifid crown premolar, 390
Root-canal treatment of a trifid crown premolar, 390
maxillary lateral incisor, Non-surgical root canal treatment of *dens invaginatus* type 2 in a maxillary lateral incisor, 68
maxillary molars, Clinical and macroscopic study of maxillary molars with two palatal roots, 796
maxillary sinus, Endodontic implications of the maxillary sinus: a review, 127
medicament, An *in vitro* comparison of pH changes in root dentine following canal dressing with calcium hydroxide points and a conventional calcium hydroxide paste, 239
membrance, Guided bone regeneration (GBR) using membranes and calcium sulphate after apicectomy: a comparative histomorphometrical study, 255
membranes, Comparison between a conventional technique and two bone regeneration techniques in periradicular surgery, 635
micro-tensile bond strengths, Micro-tensile bond strengths of bonding agents to pulpal floor dentine, 833
microbiology, A protocol for polymerase chain reaction detection of *Enterococcus faecalis* and *Enterococcus faecium* from the root canal, 1
Combinations of bacterial species in endodontic infections, 698
Effects of instrumentation, irrigation and dressin with calcium hydroxide infection in pulpless teeth with periapical bone lesions, 13
Periapical healing of endodontically treated teeth in one and two visits obturated in the presence or absence of detectable microorganisms, 660
microcracks, Occlusal loading of EBA and MTA root-end fillings in a computer-controlled masticator: a scanning electron microscopic study, 22
microleakage, A laboratory study of coronal microleakage using four temporary restorative materials, 315
Temporization for endodontics, 964
mineral trioxide aggregate, Comparison of Diaket and MTA when used as root-end filling materials to support regeneration of the periradicular tissues, 840
MMP-8, Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates, 897
molars, Root and canal morphology of Thai mandibular molars, 56

© 2002 Blackwell Science Ltd

Root and canal morphology of Thai maxillary molars, 478
morphology, Root and canal morphology of Thai mandibular molars, 56
motors, Failure of ProFile Ni–Ti instruments used by an inexperienced operator under access limitations, 536
MTA, Occlusal loading of EBA and MTA root-end fillings in a computer-controlled masticator: a scanning electron microscopic study, 22
The dentinogenic effect of mineral trioxide aggregate (MTA) in short-term capping experiments, 245

NaOCl, A scanning electron microscopic study of dentinal erosion by final irrigation with EDTA and NaOCl solutions, 934
Clinical evaluation of the cleansing properties of the noninstrumental technique for cleaning root canals, 929
necrosis, *In vitro* cytotoxicity of a composite resin and compomer, 47
Localized alveolar bone necrosis following the use of an arsenical paste: a case report, 295
neurokinin A, Quantitative analysis of substance P, neurokinin A and calcitonin gene-related peptide in pulp tissue from painful and healthy human teeth, 30
neuropeptide, Quantitative analysis of substance P, neurokinin A and calcitonin gene-related peptide in pulp tissue from painful and healthy human teeth, 30
New Zealand, Endodontic implications of the maxillary sinus: a review, 127
Ni-Ti instruments, A comparative study of root canal preparation using ProFile .04 and Lightspeed rotary Ni-Ti instruments, 37
Ni-Ti, Dynamic torque and apical forces of ProFile .04 rotary instruments during preparation of curved canals, 379
nickel–titanium, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 1. Shaping ability in simulated curved canals, 505
Efficiency of the 0.04 taper ProFile during the retreatment of gutta-percha-filled root canals, 651
Failure of ProFile Ni–Ti instruments used by an inexperienced operator under access limitations, 536
Shaping ability of GT™ Rotary Files in simulated resin root canals, 607
nickel-titanium rotary instruments, Quality of preparation of oval distal root canals in mandibular molars using nickel-titanium instruments, 919
nickel-titanium, A comparison of the shaping characteristics of two nickel-titanium endodontic hand instruments, 283
Influence of rotational speed, torque and operator proficiency of failure of Greater Taper files, 7
Smooth flexible versus active tapered shaft design using NiTi rotary instruments, 820
Surface analysis of ProFile instruments by scanning electron microscopy and X-ray energy-dispersive spectroscopy: a preliminary study, 848
NiTi files, Effect of sterilization on the cutting efficiency of PVD-coated nickel–titanium endodontic instruments, 867
non-instrumentation technology, *In vivo* performance of the new non-instrumentation technology (NIT) for root canal obturation, 352
noninstrumental technique, Clinical evaluation of the cleansing properties of the noninstrumental technique for cleaning root canals, 929
number of canals, Clinical and macroscopic study of maxillary molars with two palatal roots, 796

observers, Long-term reliability and observer comparisons in the radiographic diagnosis of periapical disease, 142
obturation, The long-term sealing ability of an epoxy resin root canal sealer used with five gutta percha obturation techniques, 275
odontoblasts, The dentinogenic effect of mineral trioxide aggregate (MTA) in short-term capping experiments, 245
oestrogenicity, The effect of AH 26 and AH Plus on MCF-7 breast cancer cell proliferation *in vitro*, 551
operator's proficiency, Influence of rotational speed, torque and operator proficiency of failure of Greater Taper files, 7
oral radiology, Diagnosing periapical lesions – disagreement and borderline cases, 703
Idiopathic osteosclerosis of the jaws followed through a period of 20–27 years, 747
osteosclerosis, Idiopathic osteosclerosis of the jaws followed through a period of 20–27 years, 747
overfilling, A comparative study of lateral condensation, heat-softened gutta-percha, and a modified master cone heat-softened backfilling technique, 1005

pH, An *in vitro* comparison of pH changes in root dentine following canal dressing with calcium hydroxide points and a conventional calcium hydroxide paste, 239
patient compliance, Patients' attitudes to rubber dam, 812
PCR, A protocol for polymerase chain reaction detection of *Enterococcus faecalis* and *Enterococcus faecium* from the root canal, 1
penetration, Penetration of propylene glycol into dentine, 330
perforation, Evaluation of healing with use of an internal matrix to repair furcation perforations, 775
periapical disease, Diagnosing periapical lesions – disagreement and borderline cases, 703
Image processing for enhanced observer agreement in the evaluation of periapical bone changes, 615

© 2002 Blackwell Science Ltd

Long-term reliability and observer comparisons in the radiographic diagnosis of periapical disease, 142
Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation, 229
periapical diseases, Interleukin-1β and tumour necrosis factor-α levels in periapical exudates, 181
periapical granuloma, Interleukin-1β and tumour necrosis factor-α levels in periapical exudates, 181
periapical healing, Endodontic treatment of teeth associated with a large periapical lesion, 78
Periapical healing of endodontically treated teeth in one and two visits obturated in the presence or absence of detectable microorganisms, 660
Periapical lesions accidentally filled with calcium hydroxide, 946
periapical infection, Endodontic implications of the maxillary sinus: a review, 127
periapical inflammation, Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates, 897
periapical lesion, Endodontic treatment of teeth associated with a large periapical lesion, 78
periapical lesions, A new technique for the study of periapical bone lesions: ultrasound real time imaging, 148
periapical pathology, Prevalence of different periapical lesions associated with human teeth and their correlation with the presence and extension of apical external root resorption, 710
periapical status, Periapical status, prevalence and quality of endodontic treatment in an adult French population, 690
periradicular surgery, Comparison between a conventional technique and two bone regeneration techniques in periradicular surgery, 635
Comparison of Diaket and MTA when used as root-end filling materials to support regeneration of the periradicular tissues, 840
permanent cell line, Cytotoxicity of resin-, zinc oxide-eugenol-, and calcium hydroxide-based root canal sealers on human periodontal ligament cells and permanent V79 cells, 153
phosphoric acid, The effects of dentine pretreatment on the adhesion of root-canal sealers, 859
photosensitizer, An *in vitro* comparison of the bactericidal efficacy of lethal photosensitization or sodium hyphochlorite irrigation on *Streptococcus intermedius* biofilms in root canals, 268
photostimulate storage phosphor system, *In vitro* comparison of root-canal measurements with conventional and digital radiology, 542
polymerase chain reaction, Direct amplification of rRNA gene sequences for identification of selected oral pathogens in root canal infections, 345
porphyromonas endodontalis, Invasion of vascular cells *in vitro* by *Porphyromonas endodontalis*, 366
post and core, The ferrule effect: a literature review, 575
post removal, A survey of methods used for post removal in specialist endodontic practice, 172
Incidence of root fractures and methods used for post removal, 63
Measurement of strain on tooth roots during post removal with the Eggler post remover, 337
posts, A survey of methods used for post removal in specialist endodontic practice, 172
Effect of three root canal sealers on the retentive strength of endodontic posts luted with a resin cement, 372
Incidence of root fractures and methods used for post removal, 63
Measurement of strain on tooth roots during post removal with the Eggler post remover, 337
prevalence, Prevalence of dilaceration in Jordanian adults, 910
Prevotella, Invasion of vascular cells *in vitro* by *Porphyromonas endodontalis*, 366
primary culture, Cytotoxicity of dentine-bonding agents on human pulp cells *in vitro*, 905
Cytotoxicity of resin-, zinc oxide–eugenol-, and calcium hydroxide-based root canal sealers on human periodontal ligament cells and permanent V79 cells, 153
prodromal pain, Prodromal herpes zoster – a diagnostic challenge in endodontics, 1012
ProFile.04, A comparative study of root canal preparation using ProFile .04 and Lightspeed rotary Ni-Ti instruments, 37
ProFile, Failure of ProFile Ni–Ti instruments used by an inexperienced operator under access limitations, 536
Surface analysis of ProFile instruments by scanning electron microscopy and X-ray energy-dispersive spectroscopy: a preliminary study, 848
prognosis, Periapical changes following root-canal treatment observed 20–27 years postoperatively, 784
propylene glycol, Penetration of propylene glycol into dentine, 330.
proteoglycan, Developmental changes and regional differences in histochemical localization of hyaluronan and versican in postnatal molar dental pulp, 159
proton pump, Mechanisms involved in the resistance of *Enterococcus faecalis* to calcium hydroxide, 221
pulp cells, Cytotoxicity of dentine-bonding agents on human pulp cells *in vitro*, 905
pulpal floor dentine, Micro-tensile bond strengths of bonding agents to pulpal floor dentine, 833
pulpal pain, Is pulpitis painful?, 829
Quantitative analysis of substance P, neurokinin A and calcitonin gene-related peptide in pulp tissue from painful and healthy human teeth, 30
pulpal wound healing, The induction of reparative dentine by enamel proteins, 407
pulpitis, Is pulpitis painful?, 829

© 2002 Blackwell Science Ltd

quality of endodontic treatment, Periapical health related to the quality of coronal restorations and root fillings, 680
questionnaire, Patients' attitudes to rubber dam, 812
radicular cyst, Immunohistochemical localization of cyclooxygenase-2 in radicular cysts, 854
radiographic diagnosis, Long-term reliability and observer comparisons in the radiographic diagnosis of periapical disease, 142
radiographic evaluation, Periapical status, prevalence and quality of endodontic treatment in an adult French population, 690
Radiographic evaluation of cases referred for surgical endodontics, 472
Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation, 229
radiography, Accuracy of a new apex locator: an *in vitro* study, 186
radioimmunoassay, Quantitative analysis of substance P, neurokinin A and calcitonin gene-related peptide in pulp tissue from painful and healthy human teeth, 30
radiology, *In vitro* comparison of root-canal measurements with conventional and digital radiology, 542
radiovisiography, *In vitro* comparison of root-canal measurements with conventional and digital radiology, 542
regeneration, Comparison of Diaket and MTA when used as root-end filling materials to support regeneration of the periradicular tissues, 840
repair, Evaluation of healing with use of an internal matrix to repair furcation perforations, 775
reparative dentine, The dentinogenic effect of mineral trioxide aggregate (MTA) in short-term capping experiments, 245
resin blocks, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 1. Shaping ability in simulated curved canals, 505
restoration, Incomplete tooth fracture following root-canal treatment: a case report, 642
retention, Effect of three root canal sealers on the retentive strength of endodontic posts luted with a resin cement, 372
revascularization, Monitoring pulp vitality after transplantation of teeth with mature roots: a case report, 289
root amputation, Localized alveolar bone necrosis following the use of an arsenical paste: a case report, 295
root anatomy, Clinical and macroscopic study of maxillary molars with two palatal roots, 796
root canal anatomy, A six-canal maxillary first molar: case report, 486
C-shaped root canal configuration in maxillary first molars, 200
root canal infection, Vitality status of microorganisms in infected human root dentine, 166
root canal obturation, *In vivo* performance of the new non-instrumentation technology (NIT) for root canal obturation, 352
root canal preparation, Quality of preparation of oval distal root canals in mandibular molars using nickel-titanium instruments, 919
Shaping ability of GT™ Rotary Files in simulated resin root canals, 607
root canal re-treatment, Efficiency of the 0.04 taper ProFile during the re-treatment of gutta-percha-filled root canals, 651
root canal sealer, Cytotoxicity of resin-, zinc oxide–eugenol-, and calcium hydroxide-based root canal sealers on human periodontal ligament cells and permanent V79 cells, 153
root canal therapy, A protocol for polymerase chain reaction detection of *Enterococcus faecalis* and *Enterococcus faecium* from the root canal, 1
root canal treatment, C-shaped root canal configuration in maxillary first molars, 200
Non-surgical root canal treatment of *dens invaginatus* type 2 in a maxillary lateral incisor, 68
Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation, 229
The effect of AH 26 and AH Plus on MCF-7 breast cancer cell proliferation *in vitro*, 551
root canal, A laboratory study of the effect of calcium hydroxide mixed with iodine or electrophoretically activated copper on bacterial viability in dentinal tubules, 522
Effects of instrumentation, irrigation and dressing with calcium hydroxide on infection in pulpless teeth with periapical bone lesions, 13
An *in vitro* comparison of the bactericidal efficacy of lethal photosensitization or sodium hyphochlorite irrigation on *Streptococcus intermedius* biofilms in root canals, 268
Clinical evaluation of the cleansing properties of the noninstrumental technique for cleaning root canals, 929
Root and canal morphology of Thai mandibular molars, 56
Temperature change within gutta-percha induced by the System-B Heat Source, 740
root canals, A comparison of the shaping characteristics of two nickel-titanium endodontic hand instruments, 283
Prevalence of yeasts in saliva and root canals of teeth associated with apical periodontitis, 321
root filling, A comparative study of lateral condensation, heat-softened gutta-percha, and a modified master cone heat-softened backfilling technique, 1005
Incomplete tooth fracture following root-canal treatment: a case report, 642
Prodromal herpes zoster – a diagnostic challenge in endodontics, 1012

© 2002 Blackwell Science Ltd

root length determination, Accuracy of a new apex locator: an *in vitro* study, 186
root resection, Occlusal loading of EBA and MTA root-end fillings in a computer-controlled masticator: a scanning electron microscopic study, 22
Root ZX, A simple model to demonstrate the electronic apex locator, 940
Accuracy of a new apex locator: an *in vitro* study, 186
root-canal anatomy, Root-canal treatment of a trifid crown premolar, 390
Root-canal treatment of a trifid crown premolar, 390
root-canal cement, Influence of calcium hydroxide intracanal medication on apical seal, 623
root-canal filling materials, The effects of dentine pretreatment on the adhesion of root-canal sealers, 859
root-canal length, *In vitro* comparison of root-canal measurements with conventional and digital radiology, 542
root-canal morphology, Root and canal morphology of Thai maxillary molars, 478
root-canal preparation, Comparative *in-vitro* evaluation of three chelator pastes, 668
Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 1. Shaping ability in simulated curved canals, 505
root-canal sealer, A quantitative evaluation of apical leakage of four root-canal sealers, 979
root-canal treatment, A survey of endodontic practice amongst Flemish dentists, 759
Hemisection for treatment of an advanced endodontic–periodontal lesion: a case report, 557
Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates, 897
Periapical changes following root-canal treatment observed 20–27 years postoperatively, 784
Periapical health related to the quality of coronal restorations and root fillings, 680
Periapical status, prevalence and quality of endodontic treatment in an adult French population, 690
Root-canal treatment of a trifid crown premolar, 390
root-end filling, Occlusal loading of EBA and MTA root-end fillings in a computer-controlled masticator: a scanning electron microscopic study, 22
root-end fillings, Comparison of Diaket and MTA when used as root-end filling materials to support regeneration of the periradicular tissues, 840
rotary files, Smooth flexible versus active tapered shaft design using NiTi rotary instruments, 820
rotary instruments, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 1. Shaping ability in simulated curved canals, 505
rotational speed, Influence of rotational speed, torque and operator proficiency of failure of Greater Taper files, 7
rubber dams, Patients' attitudes to rubber dam, 812
S. intermedius, An *in vitro* comparison of the bactericidal efficacy of lethal photosensitization or sodium hyphochlorite irrigation on *Streptococcus intermedius* biofilms in root canals, 268
saliva, Prevalence of yeasts in saliva and root canals of teeth associated with apical periodontitis, 321
SEM, Prevalence of different periapical lesions associated with human teeth and their correlation with the presence and extension of apical external root resorption, 710
shaft design, Smooth flexible versus active tapered shaft design using NiTi rotary instruments, 820
silver stain, Location, arrangement and possible function of interodontoblastic collagen fibres in association with calcium hydroxide-induced hard tissue bridges, 996
smear layer, Efficiency of rotary nickel–titanium FlexMaster instruments compared with stainless steel hand K-Flexofile – Part 2. Cleaning effectiveness and instrumentation results in severely curved root canals of extracted teeth, 514
Influence of irrigants on the coronal microleakage of laterally condensed gutta-percha root fillings, 791
The effects of dentine pretreatment on the adhesion of root-canal sealers, 859
sodium hypochlorite, Effect of sterilization on the cutting efficiency of PVD-coated nickel–titanium endodontic instruments, 867
Mechanisms involved in the resistance of *Enterococcus faecalis* to calcium hydroxide, 221
Soft-Core,The long-term sealing ability of an epoxy resin root canal sealer used with five gutta percha obturation techniques, 275
stainless steel files, Corrosion rates of stainless-steel files in different irrigating solutions, 655
sterilization behaviour, Effect of sterilization on the cutting efficiency of PVD-coated nickel–titanium endodontic instruments, 867
strain, Measurement of strain on tooth roots during post removal with the Eggler post remover, 337
stress response, Mechanisms involved in the resistance of *Enterococcus faecalis* to calcium hydroxide, 221
students, Patients' attitudes to rubber dam, 812
substance P, Quantitative analysis of substance P, neurokinin A and calcitonin gene-related peptide in pulp tissue from painful and healthy human teeth, 30
subtraction radiography, Image processing for enhanced observer agreement in the evaluation of periapical bone changes, 615
surface irregularities, Surface analysis of ProFile instruments by scanning electron microscopy and X-ray energy-dispersive spectroscopy: a preliminary study, 848
survey, A survey of endodontic practice amongst Flemish dentists, 759
A survey of methods used for post removal in specialist endodontic practice, 172

© 2002 Blackwell Science Ltd

survival analysis, Relationship between number of proximal contacts and survival of root canal treated teeth, 193
synthetic bone substitutes, Comparison between a conventional technique and two bone regeneration techniques in periradicular surgery, 635
System-B Heat Source, Temperature change within gutta-percha induced by the System-B Heat Source, 740

TEM, Location, arrangement and possible function of interodontoblastic collagen fibres in association with calcium hydroxide-induced hard tissue bridges, 996
temperature, Temperature change within gutta-percha induced by the System-B Heat Source, 740
temporary cements, Temporization for endodontics, 964
temporary filling material, A laboratory study of coronal microleakage using four temporary restorative materials, 315
temporary fillings, Temporization for endodontics, 964
temporization, Temporization for endodontics, 964
tensile bond strength, The effects of dentine pretreatment on the adhesion of root-canal sealers, 859
Thermafil, Efficiency of the 0.04 taper ProFile during the re-treatment of gutta-percha-filled root canals, 651
The long-term sealing ability of an epoxy resin root canal sealer used with five gutta percha obturation techniques, 275
TiN coating, Effect of sterilization on the cutting efficiency of PVD-coated nickel–titanium endodontic instruments, 867
tooth fracture, A study on the thickness of radicular dentine and cementum in anterior and premolar teeth, 594
Incomplete tooth fracture following root-canal treatment: a case report, 642
tooth loss, Relationship between number of proximal contacts and survival of root canal treated teeth, 193
tooth transplantation, Monitoring pulp vitality after transplantation of teeth with mature roots: a case report, 289
tooth, The ferrule effect: a literature review, 575
torque, Influence of rotational speed, torque and operator proficiency of failure of Greater Taper files, 7
treatment, Dens invaginatus type III: report of a case and 10-year radiographic follow-up, 873
tumour necrosis factor-α, Interleukin-1β and tumour necrosis factor-α levels in periapical exudates, 181
twinning, Endodontic and periodontal treatments of a geminated mandibular first premolar, 209

vacuum technique, *In vivo* performance of the new non-instrumentation technology (NIT) for root canal obturation, 352
value judgements, The perveived benefit of endodontic retreatment, 359
versican, Developmental changes and regional differences in histochemical localization of hyaluronan and versican in postnatal molar dental pulp, 159

warm gutta-percha, A comparative study of lateral condensation, heat-softened gutta-percha, and a modified master cone heat-softened backfilling technique, 1005

XMCT, Smooth flexible versus active tapered shaft design using NiTi rotary instruments, 820

yeasts, Prevalence of yeasts in saliva and root canals of teeth associated with apical periodontitis, 321

zinc oxide–eugenol, Influence of calcium hydroxide intracanal medication on apical seal, 623

© 2002 Blackwell Science Ltd